

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office NOV 28 2001

Returned to applicant for correction JAN 02 2002

Corrected application filed

Map filed JAN 15 2002 under 68240

The applicant **MGM Grand HOTEL, LLC**, hereby make application for permission to change the **Point of Diversion** of water heretofore appropriated under **Permit 56906, Certificate 15749**

1. The source of water is **Underground**
2. The amount of water to be changed **175.4 Acre-Feet 0.25 cfs**
3. The water to be used for **Commercial**
4. The water heretofore permitted for **Commercial**
5. The water is to be diverted at the following point **NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 21 Township 21 South Range 61 East, M.D.M., Clark County, Nevada at a Point From Which the South Quarter Corner of Said Section 21 Bears South 32°21'44" East, a Distance of 1916.43 Feet.**
6. The existing permitted point of diversion is located within **NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 21, Township 21 South Range 61 East, M.D.M. Clark County, Nevada at a Point From Which the South Quarter Corner of Said Section 21 Bears South 26°33'05" East, a Distance of 2302.6 Feet.**
7. Proposed place of use **Within the SW $\frac{1}{4}$ Sw $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, and the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 21, Township 21 South, Range 61 East, M.D.M. Clark County, Nevada.**
8. Existing place of use **Within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, and SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 21, Township 21 South, Range 61 East M.D.M., Clark County, Nevada.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Drilled Well With Appurtenant Equipment and Meter.**
12. Estimated cost of works **\$196,000.00**
13. Estimated time required to construct works **3 Months**
14. Estimated time required to complete the application of water to beneficial use **5 Years**
15. Remarks: **Commercial Use For Amusement Park, Fountains, Irrigation and Cooling Towers**

By **Fritz Brunner**
s/**Fritz Brunner**
3799 Las Vegas Blvd South
Las Vegas NV 89109

Compared cmf/ gkl lb/cmf

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 56906, Certificate 15749 is issued subject to the terms and conditions imposed in said Permit 56906, Certificate 15749 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 56907, Certificate 15540; 58436, Certificate 15541 and Permits 68240 and 68241 shall not exceed 350.8 acre-feet annually.

Permit 68241 expires Permit 68445-T.
(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.25 cubic feet per second, but not to exceed 175.4 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

July 2, 2003

Proof of completion of work shall be filed before:

August 2, 2003

Water must be placed to beneficial use on or before:

July 2, 2007

Proof of the application of water to beneficial use shall be filed on or before:

August 2, 2007

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 2nd day of, July A.D. 2002


State Engineer

Completion of work filed OCT 16 2002
Proof of beneficial use filed JAN 28 2004
Cultural map Filed N/A
Certificate No. 16404 Issued SFP 03 2004

